

New Member Survey References

- 1 National Association of Community Health Centers and partners, National Association of Community Health Centers, Association of Asian Pacific Community Health Organizations, Association OPC, Institute for Alternative Futures. (2017). PRAPARE. <http://www.nachc.org/research-and-data/prapare/>
- 2 Nuruzzaman, N., Broadwin, M., Kourouma, K., & Olson, D. P. (2015). Making the Social Determinants of Health a Routine Part of Medical Care. *Journal of Healthcare for the Poor and Underserved*, 26(2), 321-327.
- 3 Hager, E. R., Quigg, A. M., Black, M. M., Coleman, S. M., Heeren, T., Rose-Jacobs, R., Frank, D. A. (2010). Development and Validity of a 2-Item Screen to Identify Families at Risk for Food Insecurity. *Pediatrics*, 126(1), 26-32. doi:10.1542/peds.2009-3146
- 4 Cook, J. T., Frank, D. A., Casey, P. H., Rose-Jacobs, R., Black, M. M., Chilton, M., . . . Cutts, D. B. (2008). A Brief Indicator of Household Energy Security: Associations with Food Security, Child Health, and Child Development in US Infants and Toddlers. *Pediatrics*, 122(4), 867-875. doi:10.1542/peds.2008-0286
- 5 Sherin, K. M., Sinacore, J. M., Li, X. Q., Zitter, R. E., & Shakil, A. (1998). HITS: a Short Domestic Violence Screening Tool for Use in a Family Practice Setting. *Family Medicine*, 30(7), 508-512
- 6 Hall, M. H., Matthews, K. A., Kravitz, H. M., Gold, E. B., Buysse, D. J., Bromberger, J. T., . . . Sowers, M. (2009). Race and Financial Strain are Independent Correlates of Sleep in Midlife Women: The SWAN Sleep Study. *Sleep*, 32(1), 73-82. doi:10.5665/sleep/32.1.73
- 7 Identifying and Recommending Screening Questions for the Accountable Health Communities Model (2016, July) Technical Expert Panel discussion conducted at the U.S. Department of Health and Human Services, Centers for Medicare & Medicaid Services, Baltimore, MD.
- 8 Kaiser Permanente. (2012, June). Medicare Total Health Assessment Questionnaire. Retrieved from https://mydoctor.kaiserpermanente.org/ncal/Images/Medicare%20Total%20Health%20Assessment%20Questionnaire_tcm75-487922.pdf

9 Anderson, G. Oscar and Colette E. Thayer. Loneliness and Social Connections: A National Survey of Adults 45 and Older. Washington, DC: AARP Research, September 2018. <https://doi.org/10.26419/res.00246.001>

10 United States, US Census Bureau. (2017). American Community Survey. Retrieved from <https://www.census.gov/programs-surveys/acs/>

11 Coleman, K. J., Ngor, E., Reynolds, K., Quinn, V. P., Koebnick, C., Young, D. R., . . . Sallis, R. E. (2012). Initial Validation of an Exercise "Vital Sign" in Electronic Medical Records. *Medicine and Science in Sport and Exercise*, 44(11), 2071-2076. doi:10.1249/MSS.0b013e3182630ec1

12 United States, U.S. Department of Health and Human Services, National Institutes of Health. (n.d.). Helping Patients Who Drink Too Much: A Clinician's Guide (2005 ed., pp. 1-34).

13 Matson, T. E., Lapham, G. T., Bobb, J. F., Oliver, M., Hallgren, K. A., Williams, E. C., & Bradley, K. A. (2022). Validity of the single-item screen–cannabis (sis-c) for cannabis use disorder screening in routine care. *JAMA Network Open*, 5(11), e2239772. <https://doi.org/10.1001/jamanetworkopen.2022.39772>

14 Kroenke, K., Spitzer, R. L., & Williams, J. B. (2003). The Patient Health Questionnaire-2: validity of a two-item depression screener. *Medical Care*, 41(11), 1284-1292.

15 Elo, A.L., Leppänen, A., & Jahkola, A. (2003). Validity of a Single-Item Measure of Stress Symptoms. *Scandinavian Journal of Work*, 29(6), 444-451.

16 United States, U.S. Department of Health and Human Services, Office of the Assistant Secretary for Planning and Evaluation (n.d.). (2011). Implementation Guidance on Data Collection Standards for Race, Ethnicity, Sex, Primary Language, and Disability Status. Retrieved from <https://aspe.hhs.gov/basic-report/hhs->



HEALTH PLAN

[implementation- guidance-data-collection-standards-race-ethnicity-sex- primary-
language-and-disability-status.](#)